

**DS-K3G301LX**  
**Value Tripod Turnstile**

By adopting the turnstile integrated with the 3rd access control system, person should authenticate to pass through the lane via presenting cards, face, or QR code, etc. It is widely used in attractions, office, construction sites, residences, etc.

- Bidirectional (Entering/Exiting) lane.
- Supports I/O connection for 3rd access system integration.
- For "Pg" type, the face recognition terminal need purchase separately.
- Fire alarm passing: When triggered, the arms will be dropped automatically for emergency evacuation.
- High-brightness LED indicates the entrance/exit and passing status except "Pg" models.


## ▪ Specification

System	
Motor	NA
MCBF	≥ 2 million times
Interface	
Exit button	Main: 1 Sub: 1
Fire alarm input	1
Hardware	
Access controller	Not supplied
Function	
Keyfob	Not support
General	
Throughput	25 to 60 persons per minute The actual throughput is affected by the person passing rate and passing method.
Lane width	550 mm (21.65")
Pedestal material	SUS304 stainless steel 1.0 mm (mostly)
Indicator	Lane status indicator except Pg models.
Power consumption	Standby: 25 W Working: 35 W Peak: 45 W
Working temperature	-20 °C to 65 °C (-4 °F to 149 °F)
Working humidity	0% to 95% (No condensing)
Protective level	IPX4
Dimensions	Without package: 1200 mm × 233 mm × 1000 mm (47.2" × 9.2" × 39.4") With package: 1350 mm × 410 mm × 1120 mm (53.1" × 16.1" × 44.1")
Weight	Net: 30.58 kg (. lb) Gross: 37.8 kg (. lb)
Approval	CE/CB/RoHS/REACH/WEEE
Power supply method	Power supply: 100 to 120 VAC~ / 200 to 240 VAC~, 50/60 Hz, 0.5 A to 1 A Adapter: 100 to 240 VAC~, 50/60 Hz, 0.5 A to 1 A
Door open duration	5 to 60 sec
Power supply for face recognition module	Support
Configuration	
Module selection	NO

## ▪ Available Model



DS-K3G301LX

▪ **Dimension**



▪ **Accessory**

▪ **Optional**

<b>DS-K7CR01</b> Card reader for turnstiles & speed gates	<b>DS-K3M210</b> Access Board
	

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

